



Viewpoint Parameters

OS reference:	E195 671, N708 961
Ground Level Elevation:	3m AOD
Camera Height:	4.5m AGL
Direction of view to site centre ³ :	138°
Distance to nearest turbine:	3,420m
Number of blade tips theoretically visible ⁴ :	13
Number of hubs theoretically visible ⁴ :	11

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

1. This figure has been based on the following parameters:
Turbine layout file: LEREDINE023.WFL
• Hub height: 122.5m
• Rotor diameter: 155m
• Height to blade tip: 200m
2. Turbine positions could be subject to micro-siting (typically up to 50m).
3. Direction given as bearing relative to Grid North (BNG).
4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.
5. This figure is produced in accordance with SNH Visual Representation of Wind Farms 2017 guidance and also broadly accords with the Landscape Institute's Technical Guidance Note 6/19 (Type 4 Visualisation).

Client

RWE


Eredine Wind Farm
Further Environmental Information

Figure 4.12a
Viewpoint 2: Loch Awe Waters

wsp

September 2025

Northeast View



Wireline drawing

Wind Farm Key: Eredine Wind Farm Existing Consented Application

OS reference: E195 671, N708 961
Eye level: 4.5m AOD
Direction of view: 48°
Nearest turbine: 3.420m
Horizontal field of view: 90° (cylindrical projection)
Principal distance: 522mm
Paper size: 841mm x 297mm (half A1)
Correct printed image size: 820 x 130mm



Eredine Wind Farm
Further Environmental Information

Figure 4.12b
Viewpoint 2: Loch Awe Waters

September 2025



View flat at a comfortable arm's length

Figure 4-12a-d-VP2 Loch Awe 62281580-FG-SA-00012_R2 Originator: UKCOW75





Figure 4-12a-d-VP2 Loch Awe 62281580-FG-SA-00012_R2 Originator: UKCOW75



View flat at a comfortable arm's length