



Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3
Originator: UKCGW775

EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E195 737, N707 789 Direction of view: 128° Notes: 90° Horizontal Field of View.
Eye level: 43.5m AOD Nearest turbine: 2,820m View flat at a comfortable arm's length.

Client



Figure 4.24a
Comparative Wirelines:
Viewpoint 1:
B840 Durran


Eredine Wind Farm
Further Environmental Information

September 2025




Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3 Originator: UKCGW775

EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

Eredine Wind Farm (EIAR Layout)

Eredine Wind Farm (FEI Layout)

Existing

Consented

Application

OS reference:

E195 671, N708 961

Direction of view:

148°

Notes: 90° Horizontal Field of View.

Eye level:

4.5m AOD

Nearest turbine:

3,420m

View flat at a comfortable arm's length.

Client

Figure 4.24b

Comparative Wirelines:

Viewpoint 2:

Loch Awe Waters


Eredine Wind Farm

Further Environmental Information


September 2025

Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3 Originator: UKCGW775

EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E194 072, N708 455

Direction of view: 123°

Notes: 90° Horizontal Field of View.

Eye level: 177.5m AOD

Nearest turbine: 4,602m

View flat at a comfortable arm's length.

Client




Figure 4.24c
Comparative Wirelines:
Viewpoint 3:
Kilmaha

Eredine Wind Farm
Further Environmental Information


September 2025



EIAR Layout - Proposed Development (22 Turbines)




FEI Layout - Revised Development (17 Turbines)




Wind Farm Key:	 Eredine Wind Farm (EIAR Layout)	 Eredine Wind Farm (FEI Layout)	Client		Figure 4.24d Comparative Wirelines: Viewpoint 4: Dalavich	Eredine Wind Farm Further Environmental Information 	
	 Existing	 Consented					 Application
OS reference:	E197 119, N712 847	Direction of view:	166°	Notes: 90° Horizontal Field of View.			
Eye level:	34.5m AOD	Nearest turbine:	6,019m	View flat at a comfortable arm's length.			

Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3 Originator: UKCGW775

EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

Eredine Wind Farm (EIAR Layout)

Eredine Wind Farm (FEI Layout)

Existing

Consented

Application

OS reference:

E197 374, N714 467

Direction of view:

170°

Notes: 90° Horizontal Field of View.

Eye level:

98.5m AOD

Nearest turbine:

7,496m

View flat at a comfortable arm's length.

Client

Figure 4.24e

Comparative Wirelines:

Viewpoint 5:

Minor Road between Dalavich and Inverinan

Eredine Wind Farm

Further Environmental Information

September 2025

EIAR Layout - Proposed Development (22 Turbines)

7

FEI Layout - Revised Development (17 Turbines)

NO VIEW OF REVISED DEVELOPMENT

Wind Farm Key:

- 
 Eredine Wind Farm (EIAR Layout)


 Eredine Wind Farm (FEI Layout)
- 
 Existing


 Consented


 Application

OS reference: E200 623, N694 950

Direction of view: 351°

Notes: 90° Horizontal Field of View.
View flat at a comfortable arm's length.

Eye level: 4.5m AOD

Nearest turbine: 8,489m

Client

RWE


Figure 4.24f
 Comparative Wirelines:
 Viewpoint 6:
 B8000 Lachlan Bay

Eredine Wind Farm
 Further Environmental Information


September 2025



EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E209 610, N704 727 Direction of view: 273° Notes: 90° Horizontal Field of View.
Eye level: 4.5m AOD Nearest turbine: 8,219m View flat at a comfortable arm's length.

Client



Figure 4.24g
Comparative Wirelines:
Viewpoint 7:
Ardnagowan


Eredine Wind Farm
Further Environmental Information

September 2025




Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3 Originator: UKCGW775

EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E204 841, N697 549 Direction of view: 323° Notes: 90° Horizontal Field of View.
Eye level: 329.5m AOD Nearest turbine: 8,827m View flat at a comfortable arm's length.

Client




Figure 4.24h
Comparative Wirelines:
Viewpoint 8:
Leanach

Eredine Wind Farm
Further Environmental Information


September 2025



EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

- | | | | |
|---|---------------------------------|---|--------------------------------|
|  | Eredine Wind Farm (EIAR Layout) |  | Eredine Wind Farm (FEI Layout) |
|  | Existing |  | Consented |
| | |  | Application |

OS reference:	E208 464, N701 140	Direction of view:	293°	Notes: 90° Horizontal Field of View.
Eye level:	6.5m AOD	Nearest turbine:	8,551m	View flat at a comfortable arm's length.

Client



Figure 4.24i
 Comparative Wirelines:
 Viewpoint 9:
 Strachur


Eredine Wind Farm
 Further Environmental Information

September 2025




EIAR Layout - Proposed Development (22 Turbines)

20 19 11 7 16 5 3 12 1 8 6 4 10 2 13 9



FEI Layout - Revised Development (17 Turbines)

19 16 12 1 8 6 4 10 2 13 9



Wind Farm Key:

- Eredine Wind Farm (EIAR Layout)
- Eredine Wind Farm (FEI Layout)
- Existing
- Consented
- Application

OS reference: E209 970, N710 132 Direction of view: 246° Notes: 90° Horizontal Field of View.
Eye level: 221.5m AOD Nearest turbine: 9,361m View flat at a comfortable arm's length.

Client



Figure 4.24j
Comparative Wirelines:
Viewpoint 10:
Dùn na Cuaiche

Eredine Wind Farm
Further Environmental Information


September 2025



Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3 Originator: UKCGW775


EIAR Layout - Proposed Development (22 Turbines)

9 14 13 18 10 22



FEI Layout - Revised Development (17 Turbines)

9 14 13 18 10 22



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E187 151, N704 285 Direction of view: 86° Notes: 90° Horizontal Field of View.
Eye level: 60.5m AOD Nearest turbine: 9,400m View flat at a comfortable arm's length.

Client



Figure 4.24k
Comparative Wirelines:
Viewpoint 11:
Ford

Eredine Wind Farm
Further Environmental Information

September 2025



Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3 Originator: UKCGW775

EIAR Layout - Proposed Development (22 Turbines)

20 19 16 13 9 12 10 11

FEI Layout - Revised Development (17 Turbines)

19 16 13 9 12 10

Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E197 004, N692 631 Direction of view: 9° Notes: 90° Horizontal Field of View.
Eye level: 4.5m AOD Nearest turbine: 10,393m View flat at a comfortable arm's length.

Client





Figure 4.24I
Comparative Wirelines:
Viewpoint 12:
Loch Fyne Waters

Eredine Wind Farm
Further Environmental Information

September 2025





Wind Farm Key:	Eredine Wind Farm (EIAR Layout)	Eredine Wind Farm (FEI Layout)		
Existing	Consented	Application		
OS reference:	E211 277, N709 253	Direction of view:	252°	Notes: 90° Horizontal Field of View.
Eye level:	9.5m AOD	Nearest turbine:	10,260m	View flat at a comfortable arm's length.

Client


Figure 4.24m
Comparative Wirelines:
Viewpoint 13:
A83 Old Military Road

Eredine Wind Farm
Further Environmental Information


September 2025

Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3 Originator: UKCGW775

EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

Eredine Wind Farm (EIAR Layout)

Eredine Wind Farm (FEI Layout)

Existing

Consented

Application

OS reference:

E212 121, N707 524

Direction of view:

260°

Notes: 90° Horizontal Field of View.

Eye level:

3.5m AOD

Nearest turbine:

10,706m

View flat at a comfortable arm's length.

Client


Figure 4.24n
Comparative Wirelines:
Viewpoint 14:
St Catherine's

Eredine Wind Farm
Further Environmental Information

September 2025


EIAR Layout - Proposed Development (22 Turbines)

14 9 18 13 2 17 10 21 4 22 6 15 1 8 3 12 5 7 11 16 19 20



FEI Layout - Revised Development (17 Turbines)

14 9 18 13 2 17 10 21 4 22 6 15 1 8 12 16 19



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E185 690, N699 860 Direction of view: 68° Notes: 90° Horizontal Field of View.
Eye level: 320.5m AOD Nearest turbine: 11,836m View flat at a comfortable arm's length.

Client



Figure 4.24o
Comparative Wirelines:
Viewpoint 15:
Beinn Bhan


Eredine Wind Farm
Further Environmental Information

September 2025




EIAR Layout - Proposed Development (22 Turbines)

6 10 9 13 15 20 14 17 18 21 22



FEI Layout - Revised Development (17 Turbines)

6 10 9 13 15 14 17 18 21 22



Wind Farm Key:	Eredine Wind Farm (EIAR Layout)	Eredine Wind Farm (FEI Layout)
Existing	Consented	Application
OS reference:	E201 393, N719 781	Direction of view:
Eye level:	84.5m AOD	Nearest turbine:
		189°
		12,728m
		Notes: 90° Horizontal Field of View.
		View flat at a comfortable arm's length.

Client


Figure 4.24p
Comparative Wirelines:
Viewpoint 16:
Minor Road at Fernoch Hill

Eredine Wind Farm
Further Environmental Information

September 2025


EIAR Layout - Proposed Development (22 Turbines)

2 9 4 14 1 13 6 10 18 3 17 8 5 15 7 12 21 11 22 16 19 20



FEI Layout - Revised Development (17 Turbines)

2 9 4 14 1 13 6 10 18 17 8 15 12 21 22 16 19



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E184 152, N709 905 Direction of view: 108° Notes: 90° Horizontal Field of View.
Eye level: 368.5m AOD Nearest turbine: 13,492m View flat at a comfortable arm's length.

Client

RWE


Figure 4.24q
Comparative Wirelines:
Viewpoint 17:
Tom Soilleir

Eredine Wind Farm
Further Environmental Information


September 2025



EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

- 
Eredine Wind Farm (EIAR Layout)


Eredine Wind Farm (FEI Layout)
- 
Existing


Consented


Application

OS reference: E215 977, N707 981

Eye level: 154.5m AOD

Direction of view: 261°

Nearest turbine: 14,588m

Notes: 90° Horizontal Field of View.
View flat at a comfortable arm's length.

Client

RWE

Figure 4.24r
Comparative Wirelines:
Viewpoint 18:
Hell's Glen Road (B839)

Eredine Wind Farm
Further Environmental Information


September 2025



Figure 4-24a-z Comparative Wirelines 62281580-FG-SA-00024_r3 Originator: UKCGW775


EIAR Layout - Proposed Development (22 Turbines)

20 19 16 11 22 12 7 21 15 5 8 17 3 18 10 6 13 14 1 4 9 2



FEI Layout - Revised Development (17 Turbines)

19 16 22 12 21 15 8 17 18 10 6 13 14 1 4 9 2



Wind Farm Key:

- | | | | |
|---|---------------------------------|---|--------------------------------|
|  | Eredine Wind Farm (EIAR Layout) |  | Eredine Wind Farm (FEI Layout) |
|  | Existing |  | Consented |
|  | Application | | |

OS reference:	E215 999, N700 640	Direction of view:	285°	Notes: 90° Horizontal Field of View.
Eye level:	704.5m AOD	Nearest turbine:	15,490m	View flat at a comfortable arm's length.

Client

RWE

Figure 4.24s
Comparative Wirelines:
Viewpoint 19:
Beinn Lochain


Eredine Wind Farm
Further Environmental Information

September 2025




EIAR Layout - Proposed Development (22 Turbines)

20 7 5 3 8 22 15 1 6 10 4 18 13 2 9



FEI Layout - Revised Development (17 Turbines)

8 22 15 1 6 10 4 18 13 2 9



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E216 938, N710 155 Direction of view: 255° Notes: 90° Horizontal Field of View.
Eye level: 5.5m AOD Nearest turbine: 15,950m View flat at a comfortable arm's length.

Client




Figure 4.24t
Comparative Wirelines:
Viewpoint 20:
Ardkinglas Woodland Garden

Eredine Wind Farm
Further Environmental Information


September 2025



EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:		Eredine Wind Farm (EIAR Layout)		Eredine Wind Farm (FEI Layout)		
		Existing		Consented		Application
OS reference:	E193 029, N684 481		Direction of view:	16°	Notes: 90° Horizontal Field of View.	
Eye level:	2.5m AOD		Nearest turbine:	19,133m	View flat at a comfortable arm's length.	

Client

RWE

Figure 4.24u
Comparative Wirelines:
Viewpoint 21:
Otter Ferry (B8000)


Eredine Wind Farm
Further Environmental Information

September 2025




EIAR Layout - Proposed Development (22 Turbines)

14 9 18 22 21 13 17 10 15 2 4 8 6 12 16 1 19 7 5 11 3 20



FEI Layout - Revised Development (17 Turbines)

14 9 18 22 21 13 17 10 15 2 4 8 6 12 16 1 19



Wind Farm Key:

-  Eredine Wind Farm (EIAR Layout)
-  Eredine Wind Farm (FEI Layout)
-  Existing
-  Consented
-  Application

OS reference: E181 854, N690 731 Direction of view: 50° Notes: 90° Horizontal Field of View.
Eye level: 215.5m AOD Nearest turbine: 20,180m View flat at a comfortable arm's length.

Client

RWE

Figure 4.24v
Comparative Wirelines:
Viewpoint 22:
Cruach Mor Dunardry


Eredine Wind Farm
Further Environmental Information

September 2025




EIAR Layout - Proposed Development (22 Turbines)

20 19 11 3 7 5 16 1 12 8 6 4 15 2 10 22 21 17 13 18 9 14



FEI Layout - Revised Development (17 Turbines)

19 16 1 12 8 6 4 15 2 10 22 21 17 13 18 9 14



Wind Farm Key:		Eredine Wind Farm (EIAR Layout)	Eredine Wind Farm (FEI Layout)
Existing	Consented	Application	
OS reference:	E220 301, N718 687	Direction of view:	238°
Eye level:	949.5m AOD	Nearest turbine:	22,424m
		Notes: 90° Horizontal Field of View. View flat at a comfortable arm's length.	

Client

Figure 4.24w

Comparative Wirelines:

Viewpoint 23:


Beinn Bhuidhe

Eredine Wind Farm


Further Environmental Information

September 2025

EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

- | | | | |
|---|---------------------------------|---|--------------------------------|
|  | Eredine Wind Farm (EIAR Layout) |  | Eredine Wind Farm (FEI Layout) |
|  | Existing |  | Application |
|  | Consented | | |

OS reference:	E225 492, N708 473	Direction of view:	263°	Notes: 90° Horizontal Field of View.
Eye level:	1012.5m AOD	Nearest turbine:	24,099m	View flat at a comfortable arm's length.

Client

RWE

Figure 4.24x
Comparative Wirelines:
Viewpoint 24:
Beinn Ìme


Eredine Wind Farm
Further Environmental Information

September 2025




EIAR Layout - Proposed Development (22 Turbines)

1 3 2 4 5 6 7 11 8 12 10 16 19 9 20 13 15 17 14 18 21 22



FEI Layout - Revised Development (17 Turbines)

1 2 4 6 8 12 10 16 19 9 13 15 17 14 18 21 22



Wind Farm Key:

- | | | | |
|---|---------------------------------|---|--------------------------------|
|  | Eredine Wind Farm (EIAR Layout) |  | Eredine Wind Farm (FEI Layout) |
|  | Existing |  | Application |
|  | Consented | | |

OS reference:	E206 960, N730 446	Direction of view:	197°	Notes: 90° Horizontal Field of View.
Eye level:	1127.5m AOD	Nearest turbine:	24,106m	View flat at a comfortable arm's length.

Client

RWE


Figure 4.24y
Comparative Wirelines:
Viewpoint 25:
Ben Cruachan

Eredine Wind Farm
Further Environmental Information


September 2025

WSP

EIAR Layout - Proposed Development (22 Turbines)



FEI Layout - Revised Development (17 Turbines)



Wind Farm Key:

- Eredine Wind Farm (EIAR Layout)
- Eredine Wind Farm (FEI Layout)
- Existing
- Consented
- Application

OS reference: E185 723, N678 796
Eye level: 6.5m AOD
Direction of view: 27°
Nearest turbine: 27,077m
Notes: 90° Horizontal Field of View.
View flat at a comfortable arm's length.

Client



Figure 4.24z
Comparative Wirelines:
Viewpoint 26:
A83 South of Inverneill

Eredine Wind Farm
Further Environmental Information

September 2025

