



Viewpoint Parameters

OS reference:	E195 671, N708 961
Ground Level Elevation:	3m AOD
Camera Height:	4.5m AGL
Direction of view to site centre ³ :	138°
Distance to nearest turbine:	3,420m
Number of blade tips theoretically visible ⁴ :	15
Number of hubs theoretically visible ⁴ :	12

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

- This figure has been based on the following parameters:
Turbine layout file: LEREDINE019.WFL
• Hub height: 122.5m
• Rotor diameter: 155m
• Height to blade tip: 200m
- Turbine positions could be subject to micro-siting (typically up to 50m).
- Direction given as bearing relative to Grid North (BNG).
- The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.
- This figure is produced in accordance with SNH Visual Representation of Wind Farms 2017 guidance and also broadly accords with the Landscape Institute's Technical Guidance Note 6/19 (Type 4 Visualisation).

Client


RWE

Eredine Wind Farm
EIA Report


Figure 8.20a
Viewpoint 2: Loch Awe Waters

July 2024

WSP



C:\Users\UKCLE775\OneDrive - WSP\0385\Temp\Windfarm\Eredine\InDesign\VP2 42484-WSP-XX-02-FGL-0035_RT.indd Originator: brysc



C:\Users\UKLE775\OneDrive - WSP O365\Temp\Windfarm\Eredine\InDesign\WP2 42484-WSP-XX-02-FGL-0035_RT.indd Originator: brysc

